

ISUZU
D-MAX

Powerful | Stylish | Comfortable

ALL NEW
V-Cross
3.0L 4x4



CRUISE THROUGH
NEW ADVENTURES

CRUISE THROUGH NEW STYLE



ISUZU
D-MAX



NEW FRONT GRILLE DESIGN

An updated look for updated performance.



NEW BI-LED HEADLAMP WITH (DRL) AND HEADLAMP LEVELLING

Never be caught off-guard when you can keep roads illuminated, no matter the condition.



NEW ALLOY RIMS

18" of pure style and personality.



NEW FOG LAMP GARNISH DESIGN

Looks good, sees better, no matter the weather.



BLACK OUT FILM DOOR B-PILLAR

Stylish and Aesthetic, gives a seamless flow from one door to the other.



SIDE STEP

Blow type side step with ornament gives it an elegant look

CRUISE THROUGH NEW VISION

Adventure doesn't have to be uncomfortable. With new interior stylings for a more discerning taste, every ride is a stylish, comfortable one.

ISUZU
D-MAX



CRUISE THROUGH NEW FEATURES



PREMIUM SEATING

- Stylish leather seats for ultimate comfort.
- Premium sporty design to give your interiors an edge.
- Comfortable and long-lasting.
- Leather details are soft, yet durable.



SMART CLIMATE CONTROL SYSTEM

Keep cool, just the way you like it.



CONTROL AT YOUR FINGERTIPS

Android Infotainment 8" touch-screen dashboard lets you see and control everything at a glance, Complete with GPS and 8 speakers.



UPDATED INTERIOR DASH & DOOR PANEL

New soft-touch materials lend a premium touch for your interior.




PASSIVE ENTRY AND START SYSTEM (PESS)

Never lose your keys again-seamless entry and start up without ever having to take anything out of your pocket.



CRUISE CONTROL

V-Cross has reached a new quality in driver assistance and intelligent cruise control system




BACK SEAT CHARGING

Don't let passengers crowd the front dash with new USB slots available for backseats.


ISUZU
D-MAX

ADVANCED SAFETY FEATURES:




Keep steering control and handling even while brakes are applied:

- ABS (Anti-lock Braking System)
- EBD (Electronic Brake-force Distribution)
- BA (Brake Assist)



Prevents the vehicle from skidding and suppresses engine output to help regain control:

- Electronic Stability Control (ESC)



Keep Control of your vehicle even on difficult road conditions:

- Traction Control System (TCS)



(Hill Descent Control)



(Hill Start Assist)



HILL DESCENT CONTROL (HDC)

Auto driver-assistance system allows you to drive on down-hill, off-road conditions without any brake input.

HILL START ASSIST (HSA)

Allows you to start your vehicle on an incline without fear of rolling backwards.

		V-Cross M/T Crew Cab 3.0 L 4x4 TFS85DMDK1	V-Cross A/T Crew Cab 3.0 L 4x4 TFS85DADK1
DIMENSIONS			
Exterior	LxWxH (mm)	5295x1860x1785	5295x1860x1785
Cargo Box (Inside)	LxWxH (mm)	1552X1530X465	1552X1530X465
Wheel Base	(mm)	3,095	3,095
Overhang	FOH (mm)	905	905
	ROH (mm)	1,295	1,295
Tread	Front (mm)	1,570	1,570
	Rear(mm)	1,570	1,570
Min Running Ground Clearance	(mm)	300	300
Interior	Shoulder room (mm)	1,460	1,460
	Head room (mm)	1,005	1,005
	Seat height (mm)	305	305
	Front leg room (mm)	1,070	1,070
	Rear leg room (mm)	915	915
WEIGHT & CAPACITIES			
GVW	(kg)	2,800	2,800
Curb Weight	(kg)	1,925	1,935
Seating Capacity	(person)	5	5
Fuel Tank Capacity	(L)	76	76
ENGINE			
Model		4JJ1-TC Hi	
Type		In-Line 4 Cylinder VGS Turbo Intercooler Diesel DOHC 16V	
Displacement	(cc)	2,999	
Bore x Stroke	(mm)	95.4 x 104.9	
Compression Ratio		17.3	
Fuel System		Direct Injection Electronic Common Rail	
Max. Output	(kw (ps) @ rpm)	120 (163) @ 3,200	
Max. Torque	(N·m (kgm) @ rpm)	380 (38.7) @ 1,800-2,200	
Turbo		Equipped	
Intercooler		Equipped	
Emission Control		Euro-2	
Immobilizer		Equipped	

		V-Cross M/T Crew Cab 3.0 L 4x4 TFS85DMDK1	V-Cross A/T Crew Cab 3.0 L 4x4 TFS85DADK1
TRANSMISSION			
Model		MUX-5S	TB-50LS
Type		5- Speed Manual with Gear Shift Indicator	5- Speed Automatic with Sequential Shift
Transfer	Control	Part-Time H2, H4, L4	
	Type	Switch type	
SUSPENSION & BRAKE SYSTEM			
Suspension	Front	Independent Double Wishbones with Coil Springs, Comfort	
	Rear	Semi Elliptical Leaf Springs, Rigid Axle	
	Stabilizer Bar	Front	Equipped
Shock Absorber		All Wheels Hydraulic Double Action Telescopic, Comfort	
Brake	Type	Front	Ventilated Disc
		Rear	Leading & Trailing Drums
SAFETY			
Traction Control System		Equipped	
Electronic Stability Control	ESC	Equipped	
Limited Slip Differential	LSD	Equipped	
Hill Start Assist	HSA	Equipped	
Hill Descent Control	HDC	Equipped	
SRS Airbags ABS with EBD		Dual - Driver & Front Passenger	
ABS with EBD		Equipped	
Brake Assist	BA	Equipped	
Body Construction		Cabin Construction with Tailor-Welded Blank, High Tensile Steel	
Windscreen		Front Laminated with Rear Defogger	
Wiper	Front	Variable Intermittent	
Front Seatbelt	Outside	3 Point Emergency Locking Retractor (ELR) for all occupants, Adjustable shoulder	
	Center	-	
Rear Seatbelt	Outside	3 Point ELR Fixed Shoulder	
	Center	LAP	
Child Seat Anchorage	ISO Fix for Rear Outside	Equipped	
Child Protector Safety Lock		Equipped (Rear Door)	
High Mount Stop Lamp		Equipped	
Vehicle Security System		Anti-Theft Alarm system with Key-coded immobilizer	

		V-Cross M/T Crew Cab 3.0 L 4x4 TFS85DMDK1	V-Cross A/T Crew Cab 3.0 L 4x4 TFS85DADK1
INTERIOR			
Interior Accent Color		Bright Silver	
Meter Panel		Advance Multi-Information Display	
Steering		3 Spoke Leather Wrapped with Audio,Cruise & Hand free switches	
Assist Grip		Pillar fixed assist grip for Driver & Front Passenger	
Door Trim		Bright Silver with New Grain	
Door Panel		'New' Front & Rear Door Arm Rest with PVC Soft Pad	
Power Window		Auto Up/Down & Jam Protection for Driver	
Power Door Lock		Equipped with Speed Sensing Automatic Door Lock, Automatically Release Lock when SRS Activate	
Pess	Push Engine Start	Equipped	Equipped
Wireless Key		Electronic Smart Key with Immobilizer	
Air Conditioner		Auto AC	
Climate Control		Equipped	
Heater		Equipped	
Front Seat	Seating Capacity	2 Persons	
	Type	Bucket, Delux Pad Shape	
	Head Rest	Independent (Driver, Assist)	
	Seat Material	Leather	
	Slide Adjustment	Driver + Passenger	
	Height Adjustment	Driver	
	Recline Adjustment	Driver + Assist	
Rear Seat	Control	Power	
	Head Rest	Outside & Center	
	Armrest	Equipped	
	Folding	Fold Up/Down, easy to place luggage	
Middle Console Box		PVC Soft Touch Arm Rest Compartment with Rear Cup Holder	
Over Head Console		with Map Lamp , Sun Glass Holder	
Utility & Glove Box		Utility Box with PVC Soft Pad & New Garnish on Glove Box with Ignition Key Lock	
Sun Visor		Driver + Passenger with Ticket Holder (Driver) & Vanity Mirror (Passenger)	
Coat Hook		Yes	
Ash Tray		Cup Holder Type	
Cabin Lamp		Equipped	
Rocker Plate		-	Equipped
Accessory Connector	12V DC	Equipped	
Audio	Speakers	8 Speakers, Surrounded Sound System	
	Head Unit	Radio, DVD	
USB Charging Port	Front and Rear	2.1 A USB Charger Port at Front and Rear Floor Console	
	Screen	8 inch	
Infotainment	Input	Premium infotainment System Clock, BT(hand free/audio), USB, HDMI, AUX, iPod/iPhone function, Rear Camera, Smart Phone Connect system	Premium Android infotainment System Clock, BT (hand free/audio), USB, AUX,Screen Mirroring (iPod/iPhone/Android function), Rear Camera, Smart Phone Connect system
	Navigation	-	Equipped

		V-Cross M/T Crew Cab 3.0 L 4x4 TFS85DMDK1	V-Cross A/T Crew Cab 3.0 L 4x4 TFS85DADK1
EXTERIOR			
Headlamp	Type	'New' LED with Head Lamp Levelling	
Day Running Lights	DRL	LED	
Front Fog Lamp		New design Garnish and Bezel	
Side Turn Lamp		On Door Mirror	
Rear Combination Lamps		LED	
Front Grille (New)		'New' front chrome grille design	
Door Outer Mirror		Chrome - Power Adjust, Electric Folding & Control with LED Integrated Turn Indicator	
Door and Pillar Decoration		'New' Black Out Film at Door B-Pillar	
Door Handle		Chrome	
Door Visors	Front/Rear	-	Equipped
Bumper	Front	Body Colored with 'New' Black color at Intake area	
	Rear	One Step Type with Chrome Plating finished	
Side Step		New Design, Blow type	
Deck Guard		-	
Rope Hook		Inner	
Tail Gate Handle	Type	Center with Lock	
	Color	Chrome	
Bed Liners		Equipped	
Camera	Rear	Equipped	
Antenna		Center Roof Mount	
Mud Guard		Front + Rear	
STEERING			
Steering Type		Hydraulic Power Steering	Hydraulic Power Steering
Cruise Control (New)		-	Equipped
Min. Turning Radius	Body [m]	6.3	6.3
Adjustments		Tilt	Tilt
TYRES & WHEELS			
Tyres		255/60R18	
Wheels		18" Alloy with Hub Cap (New Design)	

DIMENSIONS (Units: mm)



FIVE SHADES OF D-MAX



D-MAX Black



D-MAX Red



D-MAX Grey



Titanium Silver



Super White

Disclaimer: The vehicle photo displayed in this catalogue may be an example only. The colours depicted and presented herein may differ from actual colour of the vehicle due to printing process limitations. Ghandhara Industries Ltd. reserves the right to make changes without notice. In the specifications and features of the vehicle at any time. Hence Ghandhara Industries Ltd. is not liable to this extent.



GHANDHARA
INDUSTRIES LIMITED



VISIT US AT THE FOLLOWING LOCATIONS

HEAD OFFICE:

F-3, Hub Chauki Road, S.I.T.E., Karachi-75730, Pakistan.
Tel: 021-38709000 (30 Lines), 32560083-6, 32588708
Fax: 021-32560090, 32564458 UAN: 111-445-111
Email: marketing@gil.com.pk URL: www.gil.com.pk

TOLL FREE 0800-11190 /IsuzuPAK

REGIONAL OFFICES:

RAWALPINDI	Tel: 051-5465898	Fax: 051-5468512
LAHORE	Tel: 042-37421985-86-87	Cell: 0300-8494229
MULTAN	Tel: 061-6513913	Fax: 061-6513913

AUTHORIZED '3S' DEALERS

ISUZU Ghandhara Karachi	0346-8206091, 0300-0646783	Multan (ISUZU Multan Motors)	0300-8638389	061-4555048, 4553237
Karachi (ISUZU Razmak Motors)	0322-2278910 021-34948181, 34948282	Quetta (ISUZU Balochistan Motors)	0333-7814202, 0300-0646921	081-2301655
Hyderabad (ISUZU Yes Motors)	0321-3026751 022-3821600	Quetta (ISUZU Quetta Motors)	0333-7847533	081-2672222
ISUZU Ghandhara Lahore	0300-0646924 042-37421985-86-87	Peshawar (ISUZU Peshawar Motors)	0300-0646926	091-2262188
Islamabad (ISUZU Federal Motors)	0309-5550114 051-2226972			

ISUZU
D-MAX

Powerful Stylish Comfortable

ALL NEW

Hi-Lander

3.0L
DIESEL ENGINE

4x4



INNOVATE FOR MORE
POWER



GHANDHARA
INDUSTRIES LIMITED

TECHNICAL SPECIFICATIONS



D-MAX DOUBLE CABIN 3.0L 4x4 MT TFS85DMAK1

DIMENSION			
Overall	Length (mm)	5,295	
	Width (mm)	1,860	
	Height (mm)	1,785	
WB (mm)		3,095	
Overhang	FOH (mm)	905	
	ROH (mm)	1,295	
Tread	Front (mm)	1,570	
	Rear (mm)	1,570	
Min. Running Ground Clearance (mm)		235	
Min. Turning Radius (m)		6.1	
Cargo Box (Inside)	Length (mm)	1,552	
	Width (mm)	1,530	
	Height (mm)	465	
WEIGHT			
GVW (kg)		2,800	
Curb Weight (kg)		1,905	
POWERTRAIN			
Engine	Model	4JJ1-TC Hi	
	Displacement (cc)	2,999	
	No. of Cyls. & Arrangement	4 cylinders, DOHC	
	Bore x Stroke (mm)	95.4 x 104.9	
	Compression Ratio	17.3	
	Fuel System	Common-Rail	
	Max. Output kw (ps) @ rpm	120 (163) @ 3,200	
	Max. Torque (N.m @ rpm)	380 (38.7) @ 1,800-2,800	
	Turbo	Equipped	
	Intercooler	Equipped	
	Emission Control	Euro-2	
	Transmission	Model	MUA-5H
		Type	5- Speed Manual
Brake	Brake Type	Front: Ventilated Disc Rear: Leading-Trailing Drum	
	Brake Control Valve	EBD	
Transfer	Control	ABS with EBD + BA Part-Time H2, H4, L4	
Traction Control	LSD	Equipped	
Suspension	Suspension Type	Front: Double Wishbone Rear: Leaf Spring Rigid Axle	
	Stabilizer Bar	Front: Standard	
Steering Type		Hydraulic Power Steering	
Fuel Tank Capacity	Total (L)	76	
Tire & Wheel	Type	245/70R16 Steel	


D-MAX DOUBLE CABIN 3.0L 4x4 MT TFS85DMAK1

EXTERIOR		
Headlamp	Type	Halogen
	Foglamp	Equipped
Side Turn Lamp		On Front Door
Front Wiper		with Intermittent
Front Grille		Coloured
Outside Rear View Mirror		Coloured
Door Handle		Coloured
Bumper	Front	Coloured
	Rear	Black Painted
Deck Guard		Equipped
Rope Hook		Inner
Tail Gate Handle	Type	Center
	Color	Material Black
Antenna		A-Pillar
INTERIOR		
Front Seat	Seating Capacity (no. of person)	5
	Type	Bench
	Head Rest	Independent (Driver, Assist)
	Seat Material	Vinyl
	Slide Adjustment	Driver
	Recline Adjustment	Driver
	Control	Manual
Front Seatbelt	Outside	LAP + ELR Adjustable Shoulder
	Center	LAP
Rear Seat	Head Rest	Outside
Rear Seatbelt	Outside	LAP + ELR Adjustable Shoulder
	Center	LAP
Child Seat Anchorage	ISO Fix for Rear Outside	Equipped
Steering	Material	Urethane
	Adjustments	Tilt
Sun Visor		Driver + Passenger
Coat Hook		Equipped
HAVC		Manual A/C - Heater & Defroster
Accessory Connector	12V DC	Equipped
Audio	Speakers	2 Speaker
	Head Unit	Radio, CD
Infotainment	Screen	-
	Input	USB
SRS Airbags		*Dual - Driver & Front Passenger


Colors



Splash White



Titanium Silver



Obsidian Grey



The all-new ISUZU D-MAX design sketches.

Note: The specifications are subject to change without any notice.



GHANDHARA
INDUSTRIES LIMITED

VISIT US AT THE FOLLOWING LOCATIONS

HEAD OFFICE:

F-3, Hub Chauki Road, S.I.T.E., Karachi-75730, Pakistan.
Tel: 021-38709000 (30 Lines), 32560083-6, 32588708
Fax: 021-32560090, 32564458 UAN: 111-445-111
Email: marketing@gil.com.pk URL: www.gil.com.pk



0800-11190 / #suZuPAK

REGIONAL OFFICES:

RAWALPINDI Tel: 061-5465898 Fax: 061-5468512
LAHORE Tel: 042-37421985-86-87 Cell: 0300-8494229
MULTAN Tel: 061-6513913 Fax: 061-6513913

AUTHORIZED '3S' DEALERS

ISUZU Ghandhara Karachi	0346-8206091, 0300-0646783	Multan (ISUZU Multan Motors)	0300-8638389	061-4555048, 4553237
Karachi (ISUZU Razmak Motors)	0322-2278910 021-34948181, 34948282	Quetta (ISUZU Balochistan Motors)	0333-7814202, 0300-0646921	081-2301655
Hyderabad (ISUZU Yes Motors)	0321-3026751 022-3821600	Quetta (ISUZU Quetta Motors)	0333-7847533	081-2672222
ISUZU Ghandhara Lahore	0300-0646924 042-37421985-86-87	Peshawar (ISUZU Peshawar Motors)	0300-0646926	091-2262188
Islamabad (ISUZU Federal Motors)	0309-5550114 051-2226970-2			

ISUZU

THE PICK-UP
PROFESSIONALS

THE MOST
POWERFUL
SINGLE CAB

Turbo-Charged Intercooler Engine

136PS
MAX POWER

320Nm
MAX TORQUE

ISUZU
D-MAX
Hi-Spark
4x2 SINGLE CAB




WARRANTY

2 YEARS

50000 Km*


*CONDITIONS APPLY



GHANDHARA
INDUSTRIES LIMITED

Vehicle Model Code	D-Max 4x2 Deckless TFR86YMAK1	D-Max 4x2 Standard TFR86SMAK1	D-Max 4x4 Standard TFS86SMAK1	
Dimension				
Overall	Length (mm)	5,110	5,315	
	Width (mm)	1,775	1,775	
	Height (mm)	1,690	1,690	
WB (mm)	Front (mm)	3,095	3,095	
	Rear (mm)	1,110	1,315	
Overhang	FOH (mm)	905	905	
	ROH (mm)	1,110	1,315	
Tread	Front (mm)	1,510	1,510	
	Rear (mm)	1,510	1,510	
Min. Running Ground Clearance (mm)	Front	195	195	
	Rear	225	225	
Min. Turning Radius	Body [m]	6.1	6.1	
	Wheel [m]	6.1	6.1	
Cargo Box (Inside)	Length (mm)	-	2,305	
	Width (mm)	-	1,530	
	Height (mm)	-	440	
Weight				
GVW (mm)	2,700	2,700	2,800	
Curb Weight (mm)	1,460	1,680	1,825	
Powertrain				
Engine	Model	4JK1-TC Hi	4JK1-TC Hi	4JK1-TC Hi
	Displacement (cc)	2,499	2,499	2,499
	No. of Cyls. & Arrangement	4 cylinders, DOHC	4 cylinders, DOHC	4 cylinders, DOHC
	Bore x Stroke (mm)	95.4 x 87.4	95.4 x 87.4	95.4 x 87.4
	Compression Ratio	18.1	18.1	18.1
	Fuel System	Common-Rail	Common-Rail	Common-Rail
	Max. Output kw (ps) @ rpm	100 (136) @ 3,400	100 (136) @ 3,400	100 (136) @ 3,400
	Max. Torque (N·m @ rpm)	320 @ 1,800-2,800	320 @ 1,800-2,800	320 @ 1,800-2,800
	Turbo	Equipped	Equipped	Equipped
	Intercooler	Equipped	Equipped	Equipped
	Emission Control	Euro-2	Euro-2	Euro-2
	Transmission	Model	MUA-5H	MUA-5H
Type		5-Speed Manual	5-Speed Manual	5-Speed Manual
Brake	Brake Type	Front	Ventilated Disc	Ventilated Disc
		Rear	Leading-Trailing Drum	Leading-Trailing Drum
	Brake Control Valve	Blend Valve	Blend Valve	EBD
Transfer	Control	N/A	N/A	Part-Time H2, H4, L4
	Control	N/A	N/A	Equipped
Traction Control	LSD	N/A	N/A	Equipped
	LSD	N/A	N/A	Equipped
Suspension	Suspension Type	Front	Double Wishbone	Double Wishbone
		Rear	Leaf Spring Rigid Axle	Leaf Spring Rigid Axle
	Stabilizer Bar	Front	Standard	Standard
Steering	Control	Hydraulic Power Steering	Hydraulic Power Steering	Hydraulic Power Steering
	Control	Hydraulic Power Steering	Hydraulic Power Steering	Hydraulic Power Steering
Fuel Tank Capacity	Total (L)	76	76	76
	Total (L)	76	76	76
Tire & Wheel	Type	195R15C Steel	195R15C Steel	245/70R16 Steel
	Type	195R15C Steel	195R15C Steel	245/70R16 Steel
Exterior				
Headlamp	Type	Halogen	Halogen	Halogen
	Foglamp	Equipped	Equipped	Equipped
Front Grille	Material	Gray	Gray	Coloured
Outside Rear View Mirror	Material	Black	Black	Coloured
Door Handle	Material	Black	Black	Coloured
	Material	Black	Black	Coloured
Bumper	Front	Black Paint	Black Paint	Coloured
	Rear	-	Material Black	Black Painted
Deck Guard	Material	-	Equipped	Equipped
Rope hook	Material	-	Outer	Inner
Interior				
Seat	Seating Capacity (no. of person)	3	3	3
	Type	Bench	Bench	Bench
	Head Rest	Independent (Driver, Assist)	Independent (Driver, Assist)	Independent (Driver, Assist)
	Seat Material	Vinyl	Vinyl	Vinyl
	Slide Adjustment	Driver	Driver	Driver
	Recline Adjustment	Driver	Driver	Driver
	Control	Manual	Manual	Manual
Seatbelt	Outside	LAP + ELR Adjustable Shoulder	LAP + ELR Adjustable Shoulder	LAP + ELR Adjustable Shoulder
	Center	LAP	LAP	LAP
Steering	Material	Urethane	Urethane	Urethane
	Adjustments	Tilt	Tilt	Tilt
Sun Visor	Material	Driver + Passenger	Driver + Passenger	Driver + Passenger
HAVC	Material	Heater & Defroster	Heater & Defroster	Manual AC - Heater & Defroster
Accessory Connector Audio	12V DC	Equipped	Equipped	Equipped
	Speakers	2 Speakers, Audio Ready	2 Speakers, Audio Ready	2 Speakers
	Head Unit	-	-	Radio, CD, USB

Adaptable to all your needs



Disclaimer:

- Ghandhara Industries Limited. reserve the right to change specifications and equipment without notice. Details of specifications and equipment mentioned or shown in this brochure may be subject to change. Features and specification may vary in appearance and/or availability. Accessories and equipment shown in this brochure have been used for illustrative purposes only.
- 2 year/50,000 Kms (whichever comes first) warranty applies to all new Isuzu D-Max models. Terms and conditions apply.
- Please enquire at your local Isuzu dealer for details on available models and their specifications.

VISIT US AT THE FOLLOWING LOCATIONS

HEAD OFFICE:

F-3, Hub Chauki Road, S.I.T.E., Karachi-75730, Pakistan.
Tel: 021-38709000 (30 Lines), 32560083-6, 32588708
Fax: 021-32560090, 32564458 UAN: 111-445-111
Email: marketing@gil.com.pk URL: www.gil.com.pk

TOLL FREE 0800-11190 /IsuzuPAK

REGIONAL OFFICES:

RAWALPINDI Tel: 051-5465898 Fax: 051-5468512
MULTAN Tel: 061-6513913 Fax: 061-6513913
LAHORE Tel: 042-37421985-86-87 Cell: 0300-8494229

AUTHORIZED '3S' DEALERS

Karachi (Corporate) Cell: 0346-8206091	Faisalabad (ISUZU Faisalabad Motors) Tel: 041-2423881-82
Lahore (Corporate) Tel: 042-37421985-86-87 Cell: 0300-8494229	Cell: 0300-7440046, 0305-4777689
Karachi (ISUZU Razmak Motors) Tel: 021-34948181, 34948282, 34941818	Quetta (ISUZU Balochistan Motors) Tel: 081-2301655 Cell: 0333-7814202
Cell: 0315-2747889, 0321-4948181	Quetta (ISUZU Quetta Motors) Tel: 081-2672222 Cell: 0333-7874695
Islamabad (ISUZU Federal Motors) Tel: 051-2226970-72 Cell: 0321-5008180	D.I. Khan (ISUZU D.I. Khan Motors) Tel: 0966-741818 Cell: 0346-9181818
Multan (ISUZU Multan Motors) Tel: 061-4555048, 4553237 Cell: 0300-8638389	Peshawar (ISUZU Peshawar) Tel: 091-2262188 Cell: 0300-5970876

